Web Images Videos Maps News Shopping Gmail more ▼

Google scholar | queue and "event context" and bind "execution | Search

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | anytime | include citations | Results **1 - 6** of **6**. (0.10 sec)

[PDF] A compliant persistent architecture   psu.edu [PDF]
... , D Balasubramaniam, M Greenwood, G Kirby, ... - Software Practice and ..., 2000 - Citeseer
... inheritance hierarchy, for extensions that conform to the sub-class late **binding** rules, or ... The user-
level context has been saved to a logical **Event Context** Buffer (ECB) whose ... runnable, the
up-call mechanism proceeds by loading the PM switch() **execution context**, and returning ...
Cited by 46 - Related articles - View as HTML - BL Direct - All 11 versions

Method for parallel processing of events within multiple event contexts maintaining ...
A Kumar, PR Chandra - US Patent App. 10/718,497, 2003 - Google Patents
... US Cl 718/102 (57) ABSTRACT Techniques for parallel processing of events within multiple event
contexts include dynamically **binding** an **event context** to an **execution context** in response to
receiving an event by storing arriving events into a global event **queue** and storing ...
All 2 versions

System of reusable software parts for distributing event flows and methods of use
VI Miloushev, PA Nickolov - US Patent App. 09/780,334, 2001 - Google Patents
Page 1. US 20020120924A1 (19) United States (12) Patent Application Publication (io>
Pub. NO.: US 2002/0120924 AI Miloushev et al. (43) Pub. Date: Aug. 29,2002 (54)
SYSTEM OF REUSABLE SOFTWARE PARTS FOR DISTRIBUTING ...
All 2 versions

[PDF] THE EVALUATION OF TINYOS WITH WIRELESS SENSOR NODE ...   psu.edu [PDF]
F Olusola, S Prof, T Larsson - 2007 - Citeseer
... When an address location changes, the **binding** will only be delayed until the next run time
is to be executed. ... The system execution is typically triggered when an event posts one or
more tasks to the **queue** and quickly leaves its **event context**[28]. ...
Related articles - View as HTML - All 3 versions

Reusable parts for assembled software systems
VI Miloushev, PA Nickolov, B Hester, L ... - US Patent App. 09/ ..., 2001 - Google Patents

Page 1. US 20020174082A1 (19) United States (12) Patent Application Publication (io> Pub. NO.: US 2002/0174082 Al Miloushev et al. (43) Pub. Date: Nov. 21,2002 (54) REUSABLE PARTS FOR ASSEMBLED SOFTWARE ...

All 4 versions

THE EVALUATION OF TINYOS WITH WIRELESS SENSOR NODE OPERATING ...

hh.se [PDF]

O Famoriyo - 2007 - dspace.hh.se

... When an address location changes, the **binding** will only be delayed until the next run time is to be executed. ... The system execution is typically triggered when an event posts one or more tasks to the **queue** and quickly leaves its **event context**[28]. ...

Related articles - View as HTML - All 2 versions

queue and "event context" and bind | Search

Go to Google Home - About Google - About Google Scholar

©2010 Google